

DECLARATION OF PERFORMANCE Placo® X-Ray Protection

Identification code: DdP_PYL_XRY_001

1. Product identification:

Placo® X-Ray Protection

Depending on the brand of the Saint-Gobain country the identification of the product will be:

- Rigips® X-Ray Protection
- Gyproc® X-Ray Protection
- British Gypsum® X-Ray Protection

2. Intended use of the product:

Construction of partition walls, ceilings and partitions and other construction elements in accordance with standard EN 520:2004+A1:2009.

3. Name and address of manufacturer or distributor:

Saint-Gobain Placo Ibérica, S.A.
Príncipe de Vergara, 132. 28002 Madrid
Spain
<http://www.placo.es>

4. Evaluation and verification system for constancy of performance:

System 4 – Manufacturer's warranty, ISO 9001 ER 1694/2000 certificate and/or AENOR N Mark certificate (see Placo® web site: www.placo.es).

5. Notified body

Not applicable.

6. Declared performance:

Description	Shear strength (N)	Reaction to fire	Vapour resistance [μ]	Flexural strength	Type/Classification according to EN 520	Impact Resistance	Acoustic insulation to airborne noise	Acoustic absorption	Thermal Resistance*
Placo® X-Ray Protection	NPD	A2-s1,d0	10	Meets standard	D F I	These characteristics depend on the system and are provide in the manufacturer's documentation based on the foreseen use. www.placo.es			0.25
Reference standard	EN 520	EN 520	EN 520	EN 520	EN 520				EN 520

* expressed as thermal conductivity in W/(m.K)

Placo® meets the requirements of Regulation (CE No. 1907/2006 (REACH) from the European Parliament and Council, related to the Registry, Evaluation Authorisation and Restriction of chemical substances and preparations - REACH S.G. Registry Number Saint-Gobain Placo Ibérica, 01-2119444918-26-0000.



Madrid, 11/12/2018
Victor Bautista Verastegui
Director General